

Revision Date: 04/25/2013 Print Date: 3/4/2014 MSDS Number: R0717502 Version: 1.0

Germaben™ II preservative ™ Trademark, Ashland or its subsidiaries, registered in various countries828414

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Ashland P.O. Box 2219 Columbus, OH 43216	Regulatory Information Number Telephone Emergency telephone number	1-800-325-3751 614-790-3333 1-800-ASHLAND (1-800-274-5263)
Product name	Germaben™ II preservative ™ Trademark, Ashland or its subsidiarie	es, registered in various countries
Product code	828414	
Product Use Description	Preservative	

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance: liquid

CAUTION! MAY CAUSE EYE IRRITATION.

Potential Health Effects

Exposure routes

Inhalation, Skin absorption, Skin contact, Eye Contact, Ingestion

Eye contact

Can cause eye irritation. Symptoms include stinging, tearing, redness, and swelling of eyes.

Skin contact

Unlikely to cause skin irritation or injury.

Ingestion

Swallowing small amounts of this material during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful.

Inhalation

It is possible to breathe this material under certain conditions of handling and use (for example, during heating, spraying, or stirring). Breathing small amounts of this material during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful. Symptoms are not expected at air concentrations below the recommended exposure limits, if applicable (see Section 8.).

Aggravated Medical Condition

Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material:, lung (for example, asthma-like conditions), Kidney

Symptoms

Page 1 / 11



Revision Date: 04/25/2013 Print Date: 3/4/2014 MSDS Number: R0717502 Version: 1.0

Germaben™ II preservative ™ Trademark, Ashland or its subsidiaries, registered in various countries828414

Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:, irritation (nose, throat, airways)

Target Organs

Overexposure to this material (or its components) has been suggested as a cause of the following effects in laboratory animals:, kidney damage

Carcinogenicity

This material is not listed as a carcinogen by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP), or the Occupational Safety and Health Administration (OSHA).

Reproductive hazard

Propylene glycol was not harmful to the fetus in laboratory animal studies.

Other information

Propylene glycol may be absorbed in potentially harmful amounts when applied in large quantities to severe burns (second or third degree) over large areas of the body as part of a cream or other topical application. Absorption under such circumstances can elevate serum osmolality and may result in osmotic shock.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Components	CAS-No. / Trade Secret No.	Concentration
PROPYLENE GLYCOL	57-55-6	>=50-<60%
DIAZOLIDINYL UREA	78491-02-8	>=30-<40%

4. FIRST AID MEASURES

Eyes

If symptoms develop, immediately move individual away from exposure and into fresh air. Flush eyes gently with water for at least 15 minutes while holding eyelids apart; seek immediate medical attention.

Skin

First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.

Ingestion

Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

Inhalation

Page 2 / 11



Revision Date: 04/25/2013 Print Date: 3/4/2014 MSDS Number: R0717502

Germaben™ II preservative ™ Trademark, Ashland or its subsidiaries, registered in various countries828414

If symptoms develop, move individual away from exposure and into fresh air. If symptoms persist, seek medical attention. If breathing is difficult, administer oxygen. Keep person warm and quiet; seek immediate medical attention.

Notes to physician

Hazards: No information available. **Treatment:** No information available.

5. FIREFIGHTING MEASURES

Suitable extinguishing media

Dry chemical, Carbon dioxide (CO2), Water spray

Hazardous combustion products

Carbon dioxide (CO2), carbon dioxide and carbon monoxide, organic compounds, phenols, toxic fumes

Precautions for fire-fighting

Wear full firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA). DO NOT direct a solid stream of water or foam into hot, burning pools of liquid since this may cause frothing and increase fire intensity. Frothing can be violent and possibly endanger any firefighter standing too close to the burning liquid. Use water spray to cool fire exposed containers and structures until fire is out if it can be done with minimal risk. Avoid spreading burning material with water used for cooling purposes.

NFPA Flammable and Combustible Liquids Classification

Combustible Liquid Class IIIB

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

For personal protection see section 8. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

Environmental precautions

Prevent spreading over a wide area (e.g. by containment or oil barriers). Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods for cleaning up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Other information

Comply with all applicable federal, state, and local regulations.

7. HANDLING AND STORAGE

Page 3 / 11

Version: 1.0



Revision Date: 04/25/2013

Print Date: 3/4/2014 MSDS Number: R0717502 Version: 1.0

Germaben™ II preservative

™ Trademark, Ashland or its subsidiaries, registered in various countries828414

Handling

Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed.

Storage

Store in a cool, dry, ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Contains no substances with occupational exposure limit values.

General advice

These recommendations provide general guidance for handling this product. Personal protective equipment should be selected for individual applications and should consider factors which affect exposure potential, such as handling practices, chemical concentrations and ventilation. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

Exposure controls

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Eye protection

Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.

Skin and body protection

Wear resistant gloves (consult your safety equipment supplier).

Wear normal work clothing including long pants, long-sleeved shirts and foot covering to prevent direct contact of the product with the skin. Launder clothing before reuse. If skin irritation develops, contact your facility health and safety professional or your local safety equipment supplier to determine the proper personal protective equipment for your use.

Respiratory protection

A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not provide adequate protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	liquid
Boiling point/boiling range	369.0 °F / 187.2 °C
Flash point	219.9 °F / 104.4 °C
Vapour pressure	0.292 hPa @ 68 °F / 20 °C



Revision Date: 04/25/2013 Print Date: 3/4/2014 MSDS Number: R0717502 Version: 1.0

Page: 5

Germaben™ II preservative ™ Trademark, Ashland or its subsidiaries, registered in various countries828414

Density

1.18 g/cm3

10. STABILITY AND REACTIVITY

Stability

Stable.

Conditions to avoid

Exposure to sunlight., Exposure to moisture., Heating in air.

Incompatible products

isocyanates, Strong acids, strong bases, Strong oxidizing agents, UV light.

Hazardous decomposition products

Alcohols, Aldehydes, carbon dioxide and carbon monoxide, dioxolanes, ethers, Organic acids, phenols, toxic fumes

Hazardous reactions

Product will not undergo hazardous polymerization.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin absorption Skin contact Eye Contact Ingestion
Product		
Acute oral toxicity	:	no data available
Acute inhalation toxicity	:	no data available
Acute dermal toxicity	:	no data available
Skin corrosion/irritation	:	no data available
Serious eye damage/eye irritation	:	no data available
Respiratory or skin sensitisation	:	no data available

Page 5 / 11



Revision Date: 04/25/2013 Print Date: 3/4/2014 MSDS Number: R0717502 Version: 1.0

Germaben™ II preservative ™ Trademark, Ashland or its subsidiaries, registered in various countries828414

:	Target Organs: Overexposure to this material (or its components)
	has been suggested as a cause of the following effects in
	laboratory animals:, kidney damage
	:

Components:		
PROPYLENE GLYCOL: Acute oral toxicity	:	LD 50 Rat: 21.0 - 33.7 g/kg
Acute dermal toxicity	:	LD 50 Rabbit: 28 g/kg
DIAZOLIDINYL UREA: Acute oral toxicity	:	LD 50 Rat: > 2,000 mg/kg
Acute inhalation toxicity	:	LC 50 Rat: 1.3 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD 50 Rabbit: > 2,000 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity Product:

no data available

Components:

PROPYLENE GLYCOL:

Toxicity to fish	 LC 50 (Fathead minnow (Pimephales promelas)): 29,485 - 39,339 mg/l Exposure time: 96 h Test Method: semi-static test
Toxicity to daphnia and other aquatic invertebrates	: EC 50 (Water flea (Daphnia magna)): > 10,000 mg/l Exposure time: 48 h Test Method: static test



Revision Date: 04/25/2013 Print Date: 3/4/2014 MSDS Number: R0717502 Version: 1.0

Germaben™ II preservative ™ Trademark, Ashland or its subsidiaries, registered in various countries828414

DIAZOLIDINYL UREA:

DIAZOLIDINYL UREA:		
Toxicity to fish	:	LC 50 (Bluegill (Lepomis macrochirus)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC 50 (Water flea (Daphnia magna)): 34.9 mg/l Exposure time: 48 h
Persistence and degradability		
Product:		
no data available		
Components:		
PROPYLENE GLYCOL:		
Biodegradability	:	Biodegradation: 81 %
		Exposure time: 28 d Method: OECD Test Guideline 301F
DIAZOLIDINYL UREA:		
Biodegradability	:	Biodegradation: 24 %
		Exposure time: 28 d Not readily biodegradable.
Bioaccumulative potential		
Product:		
no data available		
Components:		
PROPYLENE GLYCOL:		
Partition coefficient: n- octanol/water	:	log Pow: -0.92
Mobility in soil		
Product:		
no data available		
Components:		
Page 7 / 11		



Germaben™ II preservative ™ Trademark, Ashland or its subsidiaries, registered in various countries828414

PROPYLENE GLYCOL:

Surface tension

: 40.1 mN/m

13. DISPOSAL CONSIDERATIONS

Waste disposal methods

Dispose of in accordance with all applicable local, state and federal regulations.

14. TRANSPORT INFORMATION

REGULATION

ID	PROPER SHIPPING NAME	*HAZARD	SUBSIDIARY	PACKING	MARINE
NUMBER		CLASS	HAZARDS	GROUP	POLLUTANT
					/ LTD. QTY.
MEXICAN RE	GULATION FOR THE LAND T	RANSPORT C	OF HAZARDOUS	MATERIAL	S AND
WASTES					

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

TRANSPORT CANADA - INLAND WATERWAYS

Not dangerous goods

TRANSPORT CANADA - RAIL

Not dangerous goods

TRANSPORT CANADA - ROAD

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

U.S. DOT - RAIL

Not dangerous goods

Revision Date: 04/25/2013 Print Date: 3/4/2014 MSDS Number: R0717502 Version: 1.0



Revision Date: 04/25/2013 Print Date: 3/4/2014 MSDS Number: R0717502 Version: 1.0

Germaben™ II preservative ™ Trademark, Ashland or its subsidiaries, registered in various countries828414

U.S. DOT - ROAD

Not dangerous goods

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

15. REGULATORY INFORMATION

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.	
--	--

SARA Hazard Classification

SARA 311/312 Classification

Acute Health Hazard

SARA 313 Component(s)

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Notification status

US. Toxic Substances Control Act	y (positive listing)
Canada. Canadian Environmental Protection Act (CEPA). Domestic	y (positive listing)
Substances List (DSL). (Can. Gaz. Part II, Vol. 133)	
Australia. Industrial Chemical (Notification and Assessment) Act	y (positive listing)
New Zealand. Inventory of Chemicals (NZIoC), as published by	y (positive listing)
ERMA New Zealand	
Japan. Kashin-Hou Law List	n (Negative listing)
Korea. Toxic Chemical Control Law (TCCL) List	y (positive listing)
Philippines. The Toxic Substances and Hazardous and Nuclear	y (positive listing)
Waste Control Act	
China. Inventory of Existing Chemical Substances	y (positive listing)

	HMIS	NFPA
Health	2	2
Flammability	1	1
Physical hazards	0	
Instability		0



Revision Date: 04/25/2013 Print Date: 3/4/2014 MSDS Number: R0717502 Version: 1.0

Germaben™ II preservative ™ Trademark, Ashland or its subsidiaries, registered in various countries828414

Specific Hazard -- --

16. OTHER INFORMATION

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet : ACGIH : American Conference of Industrial Hygienists **BEI : Biological Exposure Index** CAS : Chemical Abstracts Service (Division of the American Chemical Society). CMR : Carcinogenic, Mutagenic or Toxic for Reproduction FG : Food grade GHS : Globally Harmonized System of Classification and Labeling of Chemicals. H-statement : Hazard Statement IATA : International Air Transport Association. IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA). ICAO : International Civil Aviation Organization ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization" IMDG : International Maritime Code for Dangerous Goods ISO : International Organization for Standardization logPow : octanol-water partition coefficient LCxx : Lethal Concentration, for xx percent of test population LDxx : Lethal Dose, for xx percent of test population. ICxx : Inhibitory Concentration for xx of a substance Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified OECD : Organization for Economic Co-operation and Development **OEL** : Occupational Exposure Limit P-Statement : Precautionary Statement PBT : Persistent, Bioaccumulative and Toxic **PPE : Personal Protective Equipment** STEL : Short-term exposure limit STOT : Specific Target Organ Toxicity TLV : Threshold Limit Value TWA: Time-weighted average vPvB : Very Persistent and Very Bioaccumulative WEL : Workplace Exposure Level CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act DOT : Department of Transportation

FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act

HMIRC : Hazardous Materials Information Review Commission

HMIS : Hazardous Materials Identification System

NFPA : National Fire Protection Association

Page 10 / 11



Germaben™ II preservative ™ Trademark, Ashland or its subsidiaries, registered in various countries828414

NIOSH : National Institute for Occupational Safety and Health OSHA : Occupational Safety and Health Administration PMRA : Health Canada Pest Management Regulatory Agency RTK : Right to Know WHMIS : Workplace Hazardous Materials Information System Revision Date: 04/25/2013 Print Date: 3/4/2014 MSDS Number: R0717502

umber: R0717502 Version: 1.0