

## Material Safety Data Sheet Vanilla Bean Fragrance Oil

Section I: Ge	neral Information
Product Name	Vanilla Bean Fragrance Oil
Contact Info	SoapGoods Inc.
	1824 Willow Trail Pkwy
	Norcross, GA, 30093
	wecare@soapgoods.com
	www.soapgoods.com
	<u>404-924-9080</u>
Emergency Phone Number	
Within USA and Canada:	<u>404-924-9080</u>
Outside USA and Canada:	+1 404-924-9080
	(collect calls accepted)
Section II: Hazardo	ous Ingredients& Identity
Chemical Name	Chemical mixture
Hazardous Components	None known
Potential Chronic Health Effects	May be irritating to skin and eyes.
	Vapor may be irritating to throat and
	Vapor may be irritating to throat and lungs. Breathing high concentrations
	Vapor may be irritating to throat and lungs. Breathing high concentrations of vapor may cause anesthetic
	Vapor may be irritating to throat and lungs. Breathing high concentrations of vapor may cause anesthetic effects. Repeated contact may cause
Prod CAS#	Vapor may be irritating to throat and lungs. Breathing high concentrations of vapor may cause anesthetic effects. Repeated contact may cause allergic dermatitis.
Prod. CAS#	Vapor may be irritating to throat and lungs. Breathing high concentrations of vapor may cause anesthetic effects. Repeated contact may cause allergic dermatitis. <u>N/A</u>
	Vapor may be irritating to throat and lungs. Breathing high concentrations of vapor may cause anesthetic effects. Repeated contact may cause allergic dermatitis.
	Vapor may be irritating to throat and lungs. Breathing high concentrations of vapor may cause anesthetic effects. Repeated contact may cause allergic dermatitis. <u>N/A</u>
Section II	Vapor may be irritating to throat and lungs. Breathing high concentrations of vapor may cause anesthetic effects. Repeated contact may cause allergic dermatitis.   N/A   I: Physical Data

Melting Point	N/A
Vapor Pressure	N/A
Vapor Density (air=1)	>1
Solubility in H O	Insoluble
Appearance /Odor	Pale yellow liquid with characteristic odor
Specific Gravity/Density	1.095-1.105
Evaporation Rate	N/A
рН	N/A
Section IV: Fire and	Explosion Hazard Data
Flash Point	142 F
Lower Flame Limit	N/A
Higher Flame Limit	N/A
Extinguish Media for Fire	Co2, foam, dry chemical
Special Firefighting Procedure	Self-contained breathing
	apparatus and protective
	clothing.
Unusual Fire Hazard	None found
Section V· He	alth Hazard Data
First Aid Procedures:	
	Remove to fresh air. If
First Aid Procedures:	Remove to fresh air. If
First Aid Procedures:	
First Aid Procedures:	Remove to fresh air. If breathing has stopped or is irregular, administer artificial
First Aid Procedures:	Remove to fresh air. If breathing has stopped or is
First Aid Procedures:	Remove to fresh air. If breathing has stopped or is irregular, administer artificial respiration and oxygen. Seek medical attention.
First Aid Procedures: Inhalation	Remove to fresh air. If breathing has stopped or is irregular, administer artificial respiration and oxygen. Seek medical attention. Wash with soap and water,
First Aid Procedures: Inhalation	Remove to fresh air. If breathing has stopped or is irregular, administer artificial respiration and oxygen. Seek medical attention.
First Aid Procedures: Inhalation	Remove to fresh air. If breathing has stopped or is irregular, administer artificial respiration and oxygen. Seek medical attention.Wash with soap and water, flush with large quantities of water. Keep contaminated
First Aid Procedures: Inhalation Skin Contact	Remove to fresh air. If breathing has stopped or is irregular, administer artificial respiration and oxygen. Seek medical attention. Wash with soap and water, flush with large quantities of water. Keep contaminated clothing away from skin.
First Aid Procedures: Inhalation	Remove to fresh air. If breathing has stopped or is irregular, administer artificial respiration and oxygen. Seek medical attention.Wash with soap and water, flush with large quantities of water. Keep contaminated clothing away from skin.Immediately flush eyes with
First Aid Procedures: Inhalation Skin Contact	Remove to fresh air. If breathing has stopped or is irregular, administer artificial respiration and oxygen. Seek medical attention. Wash with soap and water, flush with large quantities of water. Keep contaminated clothing away from skin.

Ingestion	if irritation persists. If swallowed, immediately dilute with two 8 ounce glasses of water or milk. Contact physician immediately.	
Section VI: Reactivity Data		
Chemical Stability	Stable under normal conditions	
Conditions to Avoid	Prolonged or excessive heat and/or exposure to air may cause decomposition or oxidation of the material.	
Incompatible Materials	Avoid contact with strong acids, strong bases, and materials that react with unsaturated hydrocarbons, alcohols and aldehydes.	
<b>Decomposition Products</b>	Burning produces carbon monoxide and carbon dioxide.	
Hazardous Polymerization	Will not occur.	
Section VII: Sp	oill or Leak Procedure	
For Spill	Cover liquids with absorptive material. Sweep spilled material and discard in approved disposal container.	
Waste Disposal Method	Dispose of in accordance with local, state and federal regulations.	
Section VIII: Special Protection		
Respiratory Protection	In well-ventilated areas, respiratory protection is not normally required. In confined, poorly ventilated areas, the use of NIOSH approved respiratory protection is recommended.	

Ventilation	Provide adequate ventilation. Use local exhaust fan if necessary.
Protective Gloves	The use of chemical resistant gloves is recommended. Acceptable industrial hygiene practices should be maintained.
Other Protective Equipment	The use of safety glasses is recommended. If a material is to be handled in a manner where splashing may occur, the use of splash goggles or face shield is recommended.
Handling & Storage	Apply according to good manufacturing and industrial hygiene practices. It is recommended that this material be stored in a cool, well-ventilated area, avoiding open flames or other sources of ignition.
Section IX: Special Precautions	
Hazard Class	
	N/A
DOT Shipping Name	Combustible Liquid
	•
DOT Shipping Name Reportable Quantity (RQ) UN Number	Combustible Liquid N/A N/A
DOT Shipping Name Reportable Quantity (RQ)	Combustible Liquid N/A

## Disclaimer

Soapgoods its affiliates and any other officers, directors or employees, agents, third-party content providers, merchants, sponsors, licensors or the like (now referred to as Soapgoods) cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge, and experience currently available. You expressly agree that your use of this MSDS is at your sole risk. Soapgoods expressly disclaims all express or implied warranties or mechantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages.

Do not use the ingredient information and/or ingredient percentages in this MSDS as a product specification. For product specification information refer to a product specification sheet and/or a certificate of analysis.

All information appearing herein is based upon the data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Soapgoods makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Soapgoods control and therefore users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.

Review Date: December 2015