SAFETY DATA SHEET

North American Version

FB® SODIUM PERCARBONATE

1. PRODUCT AND COMPANY IDENTIFICATION

1.1. Identification of the substance or mixture				
Product name Product grade(s)	: FB® SODIUM PERCARBONATE : FB® 400			
	FB® 400C FB® 700C			
Molecular Weight	: 314.06 g/mol			
1.2. Use of the Substance/Mixture				
Recommended use	: - Bleaching agent			
	- Cleaning agent			
	- Oxidizing agents			
1.3. Company/Undertaking Identification				
Address	: SOLVAY CHEMICALS, INC.			
	3333 RICHMOND AVENUE			
	HOUSTON TX 77098-3099 United States			
1.4. Emergency and contact telephone numbers				
Emergency telephone number	: 1 (800) 424-9300 CHEMTREC ® (USA & Canada) 01-800-00-214-00 (MEX. REPUBLIC)			
•	: US: +1-800-765-8292 (Product information)			
(product information):	US: +1-713-525-6500 (Product information)			

2. HAZARDS IDENTIFICATION

2.1. Emergency Overview:

HMIS : $H=2$ $F=0$ $R=1$ PPE = Supplied by User; dependent on local

General Information

Appearance	: powder
Colour	: white
Odour	: odourless

Main effects

- Oxidising
- Contact with combustible material may cause fire.
- Harmful if swallowed.
- Risk of serious damage to eyes.

P 27141 / USA Issuing date 02/29/2012 / Report version 1.1 Copyright 2012, SOLVAY CHEMICALS, INC. All Rights Reserved www.solvaychemicals.us





2.2. Potential Health Effects:

Inhalation

Eye contact

- Severe eye irritation
- Risk of serious damage to eyes.
- Symptoms: Redness, Lachrymation, Swelling of tissue.

Skin contact

Prolonged skin contact may cause skin irritation.

Ingestion

- Severe irritation
- Symptoms: Nausea, Abdominal pain, Vomiting, Diarrhoea.

Other toxicity effects

- See section 11: Toxicological Information

2.3. Environmental Effects:

See section 12: Ecological Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Sodium carbonate peroxyhydrate

CAS-No.	:	15630-89-4
Concentration	:	> 85.0 %
Sodium carbonate		
CAS-No.	:	497-19-8
Concentration	:	appr. 13.0 %
Sodium silicate SiO2/Na2O		
CAS-No.	:	1344-09-8
Concentration	:	appr. 1.5 %

4. FIRST AID MEASURES

4.1. Inhalation

- Move to fresh air.
- If symptoms persist, call a physician.

4.2. Eye contact

- Call a physician or poison control centre immediately.
- In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- In the case of difficulty of opening the lids, administer an analgesic eye wash (oxybuprocaine).

4.3. Skin contact

- Remove and wash contaminated clothing before re-use.
- Wash off with plenty of water.
- If symptoms persist, call a physician.

4.4. Ingestion

- Rinse mouth with water.
- Do NOT induce vomiting.
- If accidentally swallowed obtain immediate medical attention.
- Oxygen or artificial respiration if needed.

If victim is conscious:

- If swallowed, rinse mouth with water (only if the person is conscious).
- Do NOT induce vomiting.

If victim is unconscious but breathing:

- Artificial respiration and/or oxygen may be necessary.

5. FIREFIGHTING MEASURES

5.1. Suitable extinguishing media

- Water
- Water spray

5.2. Extinguishing media which shall not be used for safety reasons

- None.

5.3. Special exposure hazards in a fire

- Oxidising
- Oxygen released in thermal decomposition may support combustion
- Contact with combustible material may cause fire.
- Contact with flammables may cause fire or explosions.
- Risk of explosion if heated under confinement.

5.4. Hazardous decomposition products

- Oxygen

5.5. Special protective equipment for firefighters

- In the event of fire, wear self-contained breathing apparatus.
- Use personal protective equipment.
- Cool containers / tanks with water spray.

5.6. Other information

- Keep product and empty container away from heat and sources of ignition.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

- 6.1.1. Advice for non-emergency personnel
 - Keep away from Incompatible products.

6.1.2. Advice for emergency responders

- Sweep up to prevent slipping hazard.

6.2. Environmental precautions

- Should not be released into the environment.
- Limited quantity
- Flush into sewer with plenty of water.
- Large quantities:
- If the product contaminates rivers and lakes or drains inform respective authorities.

6.3. Methods and materials for containment and cleaning up

- Sweep up and shovel into suitable containers for disposal.
- Do not mix waste streams during collection.
- Avoid dust formation.
- Treat recovered material as described in the section "Disposal considerations".
- All receiving equipment should be clean, vented, dry, labelled and made of material that is compatible with the product.

- Never return spills in original containers for re-use.

7. HANDLING AND STORAGE

7.1. Handling

- Avoid dust formation.
- Ensure adequate ventilation.
- Keep away from heat and sources of ignition.
- Keep away from Incompatible products.
- Use only clean and dry utensils.
- Never return unused material to storage receptacle.
- Keep away from water.

7.2. Storage

- Keep in a dry place.
- Keep in a cool, well-ventilated place.
- Keep away from direct sunlight.
- Keep away from heat.
- Keep away from Incompatible products.
- The container must be used exclusively for the product.
- Keep in container fitted with safety valve or vent.
- Keep only in the original container.
- Store in a receptacle equipped with a vent.

7.3. Packaging material

- Stainless steel
- Polyethylene
- Paper + PE coating.

7.4. Other information

- Avoid dust formation.
- Refer to protective measures listed in sections 7 and 8.
- In industrial installations, apply the rules for the prevention of major accidents (consult an expert).
- Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- To avoid thermal decomposition, do not overheat.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Exposure Limit Values

Sodium carbonate peroxyhydrate

- SAEL (Solvay Acceptable Exposure Limit) 2006 TWA = 5 mg/m3
- <u>US. ACGIH Threshold Limit Values</u> Remarks: none established

Sodium carbonate

- SAEL (Solvay Acceptable Exposure Limit) 2007 TWA = 10 mg/m3
- <u>US. ACGIH Threshold Limit Values</u> Remarks: none established

Particles not otherwise specified (PNOS)

US. ACGIH Threshold Limit Values 2007 time weighted average = 3 mg/m3 Remarks: as respirable particles

-	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) 02 2006
	Permissible exposure limit = 5 mg/m3
	Remarks: respirable dust fraction, All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed
	specifically by substance name are covered by the Particulates Not Otherwise Regulated (PNOR) limit which
	is the same as the inert or nuisance dust limit of Table Z-3.
-	US. ACGIH Threshold Limit Values 2010
	time weighted average = 10 mg/m3
	Remarks: Inhalable fraction
-	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) 02 2006
	Permissible exposure limit = 15 mg/m3
	Remarks: Total dust, All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically
	by substance name are covered by the Particulates Not Otherwise Regulated (PNOR) limit which is the same
	as the inert or nuisance dust limit of Table Z-3.
-	<u>US. OSHA Table Z-3 (29 CFR 1910.1000) 2000</u>
	time weighted average = 15 millions of particles per cubic foot of air
	Remarks: respirable dust fraction
-	<u>US. OSHA Table Z-3 (29 CFR 1910.1000) 2000</u>
	time weighted average = 50 millions of particles per cubic foot of air
	Remarks: Total dust
_	LIS OSHA Table 7-3 (20 CEP 1010 1000) 2000

- <u>US. OSHA Table Z-3 (29 CFR 1910.1000) 2000</u> time weighted average = 5 mg/m3 Remarks: respirable dust fraction
- <u>US. OSHA Table Z-3 (29 CFR 1910.1000) 2000</u> time weighted average = 15 mg/m3 Remarks: Total dust
- US. OSHA Table Z-1-A (29 CFR 1910.1000) 1989 time weighted average = 5 mg/m3 Remarks: respirable dust fraction
- <u>US. OSHA Table Z-1-A (29 CFR 1910.1000) 1989</u> time weighted average = 15 mg/m3 Remarks: Total dust

ACGIH® and TLV® are registered trademarks of the American Conference of Governmental Industrial Hygienists.

SAEL = Solvay Acceptable Exposure Limit, Time Weighted Average for 8 hour workdays. No Specific TLV STEL (Short Term Exposure Level) has been set. Excursions in exposure level may exceed 3 times the TLV TWA for no more than a total of 30 minutes during a workday and under no circumstances should they exceed 5 times the TLV TWA.

8.2. Engineering controls

- Avoid dust formation.
- Provide appropriate exhaust ventilation at places where dust is formed.
- Apply technical measures to comply with the occupational exposure limits.

8.3. Personal protective equipment

8.3.1. Respiratory protection

- Use only respiratory protection that conforms to international/ national standards.
- Use NIOSH approved respiratory protection.
- Respirator with a dust filter

8.3.2. Hand protection

- Wear suitable gloves.
- Non-recommended materials: Leather, cotton
- Suitable material: PVC, Neoprene, Natural Rubber

8.3.3. Eye protection

- Chemical resistant goggles must be worn.

8.3.4. Skin and body protection

- Protective suit

8.3.5. Hygiene measures

- Use only in an area equipped with a safety shower.
- Eye wash bottle with pure water
- Handle in accordance with good industrial hygiene and safety practice for diagnostics.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. General Information

powder
white
odourless

9.2. Important health safety and environmental information

•					
рН	I	:	from 10.4 - 10.6 <i>Concentration</i> : 10.1 g/l		
Во	iling point/boiling range	:	Remarks: not applicable		
Fla	ash point	:	Remarks: not applicable		
Fla	ammability	:	Remarks: The product is not flammable.		
Ex	plosive properties	:	<u>Explosion danger</u> . <i>Remarks</i> : Not explosive		
Ox	idizing properties	:	Remarks: Oxidising		
Va	pour pressure	:	Remarks: not applicable		
Re	lative density / Density	:	Remarks: no data available		
Bu	Ilk density	:	950 - 1,200 kg/m3		
So	lubility(ies)	:	Water 150 g/l <i>Temperature</i> : 20 °C(68 °F)		
	rtition coefficient: octanol/water	:	Remarks: not applicable		
Vis	scosity	:	Remarks: not applicable		
Va	pour density	:	Remarks: not applicable		
9.3. Otł	ner data				
	composition nperature	:	Remarks: Self-Accelerating decomposition temperature (SADT)		
		:	> 55 °C(131 °F) <i>Remarks</i> : 50 kg		

10. STABILITY AND REACTIVITY

10.1. Stability

- Potential for exothermic hazard
- Stable under recommended storage conditions.

10.2. Conditions to avoid

- Exposure to moisture.
- To avoid thermal decomposition, do not overheat.
- Keep at temperature not exceeding: 55 °C (131 °F)

10.3. Materials to avoid

 Water, Acids, Bases, Heavy metal salts, Reducing agents, Organic materials, Flammable materials, Combustible material

10.4. Hazardous decomposition products

Oxygen

11. TOXICOLOGICAL INFORMATION

Toxicological data

Acute oral toxicity

LD50, rat, 1,034 mg/kg

Acute inhalation toxicity

- LC0, 1 h, rat, > 4,580 mg/m3
- Acute dermal irritation/corrosion
- LD 10, rabbit, > 2,000 mg/kg

Skin irritation

rabbit, slight irritation

Eye irritation

rabbit, Risk of serious damage to eyes.

Chronic toxicity

- no data available

Remarks

- Harmful if swallowed.
- Risk of serious damage to eyes.
- Irritating to respiratory system and skin.
- Risk of serious damage to eyes.
- Irritating to skin and mucous membranes

12. ECOLOGICAL INFORMATION

12.1. Ecotoxicity effects

Acute toxicity

- Fishes, Pimephales promelas, LC50, 71 mg/l
- Fishes, Pimephales promelas, NOEC, 96 h, 7.4 mg/l
- Crustaceans, Daphnia pulex, EC50, 4.9 mg/l
- Crustaceans, Daphnia pulex, NOEC, 48 h, 2 mg/l

12.2. Mobility

- Air
- <u>Air</u>
 - Remarks: not applicable
- Water Remarks: considerable solubility and mobility

 <u>Soil/sediments</u> Remarks: non-significant adsorption

12.3. Persistence and degradability

Abiotic degradation

- Result: not applicable
- Water/soil

Result: significant hydrolysis

Biodegradation

- Remarks: The methods for determining biodegradability are not applicable to inorganic substances.
- 12.4. Bioaccumulative potential
 - Remarks: not applicable

12.5. Other adverse effects

- no data available

12.6. Remarks

- Hazard for the environment is limited due to product properties:
- . weak persistence of degradation products.
- Does not bioaccumulate.

13. DISPOSAL CONSIDERATIONS

13.1. Waste from residues / unused products

- Dilute with plenty of water.
- Dispose of wastes in an approved waste disposal facility.
- Can be landfilled, when in compliance with local regulations.
- In accordance with local and national regulations.

13.2. Packaging treatment

- Clean container with water.
- Empty containers should be taken to an approved waste handling site for recycling or disposal.

5.1

- Uncleaned empty packaging
- Dispose of as unused product.
- In accordance with local and national regulations.

13.3. RCRA Hazardous Waste

- Listed RCRA Hazardous Waste (40 CFR 302) No
- Unlisted RCRA Hazardous Waste (40 CFR 302) Yes
- D001 (ignitable waste)

14. TRANSPORT INFORMATION

IATA-	DGR	
	UN number	UN 3378
	Class	5.1
	Packing group	111
	ICAO-Labels	5.1 - Oxidizing substances
	Proper shipping name: SODIUM CARBON	ATE PEROXYHYDRATE
IMDG		
	UN number	UN 3378

P 27141 / USA
Issuing date 02/29/2012 / Report version 1.1
Copyright 2012, SOLVAY CHEMICALS, INC.
All Rights Reserved
www.solvavchemicals.us

Class

	Packing group	III		
	IMDG-Labels	5.1 - Oxidizing substances		
	EmS	F-A S-Q		
	Proper shipping name: SODIUM CARBON	ATE PEROXYHYDRATE		
U.S. D	ept of Transportation			
	UN number	UN 3378		
	Class	5.1		
	Packing group	111		
	Label	5.1 - Oxidizing substances		
	Proper shipping name: SODIUM CARBON	ATE PEROXYHYDRATE		
Canada (TDG)				
	UN number	UN 3378		
	Class	5.1		
	Packing group	111		
	Label	5.1 - Oxidizing substances		
	Proper shipping name: SODIUM CARBON	ATE PEROXYHYDRATE		
Mexic	o (NOM-002-SCT)			
	UN number	UN 3378		
	Class	5.1		
	Packing group	111		
	Label	5.1 - Oxidizing substances		

15. REGULATORY INFORMATION

15.1. Inventory Information

Toxic Substance Control Act list	: -	In compliance with inventory.
(TSCA)		
Australian Inventory of Chemical	: -	In compliance with inventory.
Substances (AICS)		
Canadian Domestic Substances	: -	In compliance with inventory.
List (DSL)		
Inventory of Existing Chemical	: -	In compliance with inventory.
Substances (China) (IECS)		
Korean Existing Chemicals	: -	In compliance with inventory.
Inventory (KECI (KR))		
EU list of existing chemical	: -	In compliance with inventory.
substances (EINECS)		
Japanese Existing and New	: -	In compliance with inventory.
Chemical Substances (MITI List)		
(ENCS)		
Philippine Inventory of Chemicals	: -	In compliance with inventory.
and Chemical Substances		
(PICCS)		
New Zealand Inventory (in	: -	In compliance with inventory.

preparation) (NZ)

15.2. Other regulations

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A) - not regulated.

- SARA Hazard Designation (SARA 311/312)
 - Fire Hazard: Yes.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required

- not regulated.
- US. EPA CERCLA Hazardous Substances (40 CFR 302)
 - not regulated.
- US. New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5)
 - yes.
- US. Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323)
 - not regulated.
- US. California Safe Drinking Water & Toxic Enforcement Act (Proposition 65)
 - not regulated.

16. OTHER INFORMATION

Ratings :

NFPA (National Fire Protection Association)

Health = 2 Flammability = 0 Instability = 1 Special =OX

HMIS (Hazardous Material Information System)

Health = 2 Fire = 0 Reactivity = 1 PPE : Supplied by User; dependent on local conditions

Further information

- General revision
- Distribute new edition to clients

Material Safety Data Sheets contain country specific regulatory information; therefore, the MSDS's provided are for use only by customers of the company mentioned in section 1 in North America. If you are located in a country other than Canada, Mexico or the United States, please contact the Solvay Group company in your country for MSDS information applicable to your location.

The previous information is based upon our current knowledge and experience of our product and is not exhaustive. It applies to the product as defined by the specifications. In case of combinations or mixtures, one must confirm that no new hazards are likely to exist. In any case, the user is not exempt from observing all legal, administrative and regulatory procedures relating to the product, personal hygiene, and integrity of the work environment. (Unless noted to the contrary, the technical information applies only to pure product).

To our actual knowledge, the information contained herein is accurate as of the date of this document. However, neither the company mentioned in section 1 nor any of its affiliates makes any warranty, express or implied, including

merchantability or fitness for use, or accepts any liability in connection with this information or its use. This information is for use by technically skilled persons at their own discretion and risk and does not relate to the use of this product in combination with any other substance or any other process. This is not a license under any patent or other proprietary right. The user alone must finally determine suitability of any information or material for any contemplated use in compliance with applicable law, the manner of use and whether any patents are infringed. This information gives typical properties only and is not to be used for specification purposes. The company mentioned in section 1 reserves the right to make additions, deletions or modifications to the information at any time without prior notification.

Trademarks and/or other products of the company mentioned in section 1 referenced herein are either trademarks or registered trademarks of the company mentioned in section 1 or its affiliates, unless otherwise indicated.

Copyright 2011, Company mentioned in Section 1. All Rights Reserved.