



Safety Data Sheet

Section 1: Identification

Trade Name: Sodium Carbonate, Anhydrous

Synonyms: Soda Ash, Disodium Carbonate, Also: Dense Soda Ash, Soda Ash Light, Synthetic Light Soda Ash, Soda Ash Liquid, Natural Light Soda Ash, Natural Light HA Soda Ash

Company: Soapgoods Inc

Address: 1824 Willow Trail Pkwy, Ste 200. Norcross. GA 30093

Phone: (404) 924-9080

E-Mail: wecare@soapgoods.com

Emergency Phone: Chemtrec 1 800 424 9300

Section 2: Hazard(s) Identification

Emergency Overview: White, odorless, granular solid. Product is non-combustible. Reacts with acids to release carbon dioxide gas and heat. May irritate skin and eyes. Dusts may irritate respiratory tract. Not expected to be toxic to the environment, nor to aquatic organisms. Avoid simultaneous exposure to soda ash and lime dust. In the presence of moisture (i.e. perspiration) the two materials combine to form caustic soda (NaOH), which may cause burns.

Potential Health Effects:

Skin Prolonged contact may cause skin irritation (red, dry, cracked skin).

Eyes Irritating to the eyes.

Ingestions Although low in toxicity, ingestion may cause nausea, vomiting, stomach ache, and diarrhea.

Inhalation Prolonged inhalation of product dusts may irritate nose, throat, and lungs.

Chronic Effects Excessive, long term contact may produce "soda ulcers" on hands and perforation of the nasal septum. Sensitivity reactions may occur from prolonged and repeated exposure. This product does not contain any ingredient designated by IARC, NTP, ACGIH or OSHA as probable or suspected human carcinogens.

Section 3: Composition/Information on Ingredients

Chemical Name	CAS #	Wt. %	EC No	EC Class
Sodium Carbonate	497-19-8	99.8	207-838-8	Xi, R36

Section 4: First-Aid Measures

Skin Wash with plenty of soap and water. Get medical attention if irritation occurs and persists. Remove and wash contaminated clothing before re-use.

Eyes Immediately flush with water for at least 15 minutes lifting the upper and lower eyelids intermittently. See a medical doctor or ophthalmologist as necessary.

Ingestions Rinse mouth with water. Dilute by giving 1 or 2 glasses of water. Do not induce vomiting. Never give anything by mouth to an unconscious person.

If symptoms persist, contact a doctor or poison control center.

Inhalation Remove to fresh air. If breathing difficulty or discomfort occurs and persists, obtain medical attention.

Advice to Physician

While internal toxicity is low, irritant effects of high concentrations may produce corneal opacities, and vesicular skin reactions in humans with abraded skin only.

Treatment is symptomatic and supportive.

Section 5: Fire-Fighting Measures

Extinguishing Media: Not combustible, use extinguishing method suitable for surrounding fire.

Fire/Explosion Hazards: Not applicable.

Fire Fighting Procedures: Wear full protective clothing and self-contained breathing apparatus

Flammable Limits: Not applicable

Auto ignition Temperature: Not applicable

Hazardous Combustion

Products: Carbon dioxide.

Sensitivity to Impact: None

Sensitivity to Static Discharge:None

Section 6: Accidental Release Measures

Personal Precautions:

Refer to Section 8 "Exposure Controls / Personal Protection"

Containment: Prevent large quantities of this product from contacting vegetation or waterways; large spills could kill vegetation and fish.

Clean Up: This product, if spilled, can be recovered and re-used if contamination does not present a problem. Vacuum or sweep up the material and collect in a suitable container for disposal. If the spilled product is unusable due to contamination, consult state or federal environmental agencies for acceptable disposal procedures and locations. See Section 13

Notification Requirements:

Federal regulations do not require notification for spills of this product. State and local regulations may contain different requirements; consult local authorities.

Section 7: Handling and Storage

Handling: Use air conveying / mechanical systems for bulk transfer to storage. For manual handling of bulk transfer use mechanical ventilation to remove airborne dust from railcar, ship or truck. Use approved respiratory protection when ventilation systems are not available. Selection of respirators is based on the dust cloud generation. Keep material out of lakes, streams, ponds and sewer drains.

Avoid eye contact or prolonged skin contact. Avoid breathing dusts. When dissolving, add to water cautiously and with stirring; solutions can get hot.

Use good personal hygiene and housekeeping.

Storage: Store in a cool dry area, away from incompatible products (acids).

Prolonged storage may cause product to cake from atmospheric

Section 8: Exposure Controls/Personal Protection

Engineering

Controls:

Where possible, provide general mechanical and/or local exhaust ventilation to prevent release of airborne dust into the work environment. Eye wash facility should be provided in storage and general work area.

Personal Protective Equipment:

Eyes and Face: For dusty or misty conditions, or when handling solutions where there is reasonable probability of eye contact, wear chemical safety goggles and hardhat. Under these conditions do not wear contact lenses. Otherwise, appropriate eye and face protection equipment (ANSI Z87 approved) should be selected for the particular use intended for this material. Safety glasses with side shields are recommended.

Respiratory: Whenever dust in the worker's breathing zone cannot be controlled with ventilation or other engineering means, workers should wear respirators or

dust masks approved by NIOSH/MSHA, EU CEN or comparable certification organization to protect them against airborne dust.

Hands, Arms,

and Body:

Wear long-sleeve shirt and trousers, and impervious gloves for routine product use. Cotton gloves are sufficient for dry product; wear impervious (e.g., rubber, neoprene, etc.) gloves when handling solutions.

Exposure Guidelines: Federal guidelines treat the ingredient(s) in this product as a nuisance dust, as no product-specific guidelines have been issued for exposure. As with all nuisance dusts, worker breathing zone concentrations should be measured by validated sampling and analytical methods. The following limits (OSHA and MSHA) apply to this material:

Particulates Not Otherwise Regulated:

OSHA (PEL / TWA): 15 mg/m³ (total dust); 5 mg/m³ (resp fraction)

MSHA (PEL / TWA): 10 mg/m³ (total dust)

Avoid simultaneous exposure to soda ash and lime dust. In the presence of moisture (i.e. perspiration) the two materials combine to form caustic soda (NaOH), which may cause burns.

The information noted above provides general guidance for handling this product.

Specific work environments and material handling practices will dictate the selection and use of personal protective equipment (PPE).

Section 9: Physical and Chemical Properties

Appearance: White, granular solid

Odor: Odorless

Formula: Na₂CO₃

Molecular Weight: 105.99

Bulk Density (g/l) Dense grades: 0.9 – 1.1

Natural light grade: 0.7 – 0.9 Synthetic light grade: 0.5 – 0.7

Specific Gravity: 2.533 (vs. water)

Boiling Point: Decomposes

Melting Point: 854oC (1569oF)

Evaporation Rate: Not applicable

Percent Volatile: 0%

Vapor Density: Not applicable

Vapor Pressure: Not applicable

pH (1% solution) 11.3

Flash Point None

Section 10: Stability and Reactivity

Stability: Stable

Conditions to Avoid: Contract with acids will release carbon dioxide, heat.

Contract with lime dust in the presence of moisture can produce corrosive sodium hydroxide.

Materials to avoid May react with aluminum, acids, fluorine, lithium, and 2,4,6-Trinitrotoluene.

Polymerization: Will not occur.

Hazardous Decomposition When heated to decomposition, carbon dioxide is released.

Products

Other Precautions: When dissolving, add to water cautiously and with stirring; solutions can get hot.

Section 11: Toxicological Information

Eye: Severe irritant (50 mg, rabbit).

Skin: Mild irritant (500 mg/24hr, rabbit). Minor irritation may occur on abraded skin. Not a sensitizer (tested at 0.25% solution).

Oral: LD50, rat: 4,090 mg/kg

Inhalation: LC50, rat, 2hr 2.3 mg/l

24 – hour LC50: 800 mg/m³, 20 h exposure (guinea pig) (moderate toxicity)

Chronic: Excessive, long term contact may produce “soda ulcers” on hands and perforation of the nasal septum. Sensitivity reactions may occur from prolonged and repeated exposure.

Carcinogenicity: Not designated by IARC, NTP, ACGIH or OSHA as probable or suspected human carcinogens.

Section 12: Ecological Information

Acute ecotoxicity: 96 – hour LC50: 265 – 565 mg/l (daphnia magna) (low toxicity)

300 – 320 mg/l (blue gill sunfish) (low toxicity)

96 – hour TLm: 1200 mg/l (mosquito-fish)

48 – hour TLm: 840 mg/l (mosquito-fish)

48 – hour EC50: 265 mg/l (daphnia magna)

5 Day EC 50: 242 mg/l (Nitzschia linearis)

Chronic ecotoxicity: 7 Day EC, biomass: 14 mg/l (phytoplankton)

Mobility: Air: Not Applicable

Water: Considerable solubility and mobility.

Soil / sediments: Non-significant adsorption

Abiotic degradation:

Water (hydrolysis): degradation's products: carbonate (pH>10) /

carbonic acid / carbon dioxide (pH<6).

Soil: Hydrolysis as a function of pH.

Biotic degradation: Aerobic / anaerobic: Not applicable (inorganic compound)

Potential for bioaccumulation:

Not applicable (ionizable inorganic compound)

Observed effects are related to alkaline properties of the product. Product is not significantly hazardous for the environment.

Section 13: Disposal Considerations

Disposal Method: When this product is discarded or disposed of, as purchased, it is neither a characteristic nor a listed hazardous waste according to US Federal RCRA regulations (40 CFR 261). As a non-hazardous waste the material may be disposed of in a landfill in accordance with government regulations; check local or state regulations for applicable requirements prior to disposal. Any processing, usage, alteration, chemical additions to, or contamination of, the product may alter the disposal requirements. Under Federal regulations, it is the generator's responsibility to determine if a waste is a hazardous waste.

Section 14: Transport Information.

Proper Shipping Name: Not regulated

Primary Hazard Class / Division: Not regulated

UN / NA Number: Not applicable

Label(s), Placard(s), Marking(s): Not applicable

Reportable Quantity (RQ) None

49 STCC Number: Not Applicable

ADR (EU), TDG (Canada) Not regulated

IMDG (sea) , ICAO (air), IATA (air) Not regulated

Section 15: Regulatory Information

UNITED STATES:

SARA Title III (Superfund Amendments and Reauthorization Act)

Section 302 Extremely Hazardous

Substances: 40CFR355, Appendix A

Not listed

Section 311 Hazard Class 40CFR370

Immediate (acute)

Section 312 Threshold Planning Quantity (TPQ) 40CFR370

No TPQ listed for sodium carbonate.

Section 313 Reportable Ingredients 40CFR372

Not listed

CERCLA (Comprehensive Environmental Response Compensation and Liability Act):

40CFR302.4 –

There is no listed RQ (reportable quantity) for this product.

TSCA (Toxic Substance Control Act)

This product is listed on the TSCA Inventory of Chemical Substances. No other TSCA rules affect this product

State Regulations:

This product does not contain any components that are regulated under California Proposition 65.

Other:

Clean Water Act (CWA) – Section 301/ 311: Not listed

Clean Air Act (CAA) – Section 112: Not regulated

CANADA:

WHMIS Classification:

D2B Toxic Class E Corrosive Symbol:



This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS Ingredient Disclosure

List Listed

DSL Status (Domestic substances list)

Listed on DSL

EUROPEAN UNION:

EINECS Inventory

Listed: 207-838-8

Annex I (Substances Directive)

Listed: 011-005-00-2 Xi, R-36

(See label details in Section 16)

German Water Classification

hazard class 1, low hazard to waters

EU - Food Additives Directive (95/2/EC)

- Annex I - Generally Permitted for Use in Foodstuff

E500

INTERNATIONAL:

This product is also found on the chemical inventories of Australia, China, Korea, Japan and the Philippines.

Section 16: Other Information

HMIS (Hazardous Material Identification System)

Health 2

Flammability 0

Physical Hazard 0

Personal Protection (PPE) B

Protection = B (Safety glasses and gloves)

4 = Severe, 3 = Serious, 2 = Moderate, 1 = Slight, 0 = Minimal

NFPA (National Fire Protection Association System)

Health 2

Flammability 0

Reactivity 0

Special None

4 = Extreme, 3 = High, 2 = Moderate, 1 = Slight, 0 = Insignificant

EC Labeling

Name of substance to appear on label.

Sodium Carbonate

Symbol(s)

Xi – irritating



Label Phrases

R36: Irritating to eyes.

S2: Keep out of reach of children.

S22: Do not breathe dust.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Other Information: Soda ash is produced in three principal grades: Dense, natural light and synthetic light soda ash. When these products are mixed in water they may be known as liquid soda ash. These grades differ only in physical characteristics such as bulk density and size and shape of particles, which influence flow characteristics and angle of repose. Other physical properties, as well as chemical as chemical properties of solutions, are common to each grade of soda ash.

Certified to ANSI / NSF 60

Concentration not to exceed 100 ppm when used for corrosion control or scale control
pH adjustment.



Disclaimer

Soapgoods it's affiliates and any other officers, directors or employees, agents, third-party content providers, merchants, sponsors, licensors or the like (now referred to as Soapgoods) cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge, and experience currently available. You expressly agree that your use of this MSDS is at your sole risk. Soapgoods expressly disclaims all express or implied warranties or merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages.

Do not use the ingredient information and/or ingredient percentages in this MSDS as a product specification. For product specification information refer to a product specification sheet and/or a certificate of analysis.

All information appearing herein is based upon the data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Soapgoods makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Soapgoods control and therefore users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.

Review Date: September 2017